Theoretical Computer Science 88 (1991) 385–386
Elsevier

Author Index Volume 88 (1991)

(The issue number is given in front of the page numbers)

Adiga, B.S., *see* P. Shankar (1) 117–125
Aizawa, K. and A. Nakamura, Graph grammars with path-controlled embedding (1) 151–170
Balcázar, J.L., *see* R. Gavaldà (1) 1– 14
Baur, W., On the algebraic complexity of rational iteration procedures (2) 313–324
Bebják, A. and I. Štefáneková, Separation of deterministic, nondeterministic and alternating complexity classes (2) 297–311
Cho, S. and D.T. Huynh, Finite-automaton aperiodicity is PSPACE-complete (1) 99–116
Crochemore, M. and W. Rytter, Usefulness of the Karp–Miller–Rosenberg algorithm in parallel computations on strings and arrays (1) 59– 82
Engelfriet, J., A regular characterization of graph languages definable in monadic second-order logic (1) 139–150
Fujii, M., *see* H. Seki (2) 191–229
Fülöp, Z., A complete description for a monoid of deterministic bottom-up tree transformation classes (2) 253–268
Garzon, M. and Y. Zalcstein, The complexity of Grigorchuk groups with application to cryptography (1) 83– 98
Gavaldà, R. and J.L. Balcázar, Strong and robustly strong polynomial-time reducibilities to sparse sets (1) 1– 14
Hashiguchi, K., *see* H. Yoo (2) 351–363
Huckenbeck, U., A result about the power of geometric oracle machines (2) 231–251
Huynh, D.T., *see* S. Cho (1) 99–116
Inoue, K., A. Ito and I. Takanami, A note on real-time one-way alternating multicounter machines (2) 287–296
Ito, A., *see* K. Inoue (2) 287–296
Kasami, T., *see* H. Seki (2) 191–229
Khuller, S. and V.V. Vazirani, Planar graph coloring is not self-reducible, assuming $P \neq NP$ (*Note*) (1) 183–189
Labhalla, S. and H. Lombardi, Représentations des nombres réels par développements en base entière et complexité (*Note*) (1) 171–182
Larsen, K.G. and B. Thomsen, Partial specifications and compositional verification (1) 15– 32
Lombardi, H., *see* S. Labhalla (1) 171–182
Matsumura, T., *see* H. Seki (2) 191–229
Miyano, S., Δ_2^p-complete lexicographically first maximal subgraph problems (1) 33– 57
Nakamura, A., *see* K. Aizawa (1) 151–170
Peeva, K., Equivalence, reduction and minimization of finite automata over semirings (2) 269–285
Rytter, W., *see* M. Crochemore (1) 59– 82
Salomaa, A., A deterministic algorithm for modular knapsack problems (1) 127–138
Séébold, P., Fibonacci morphisms and Sturmian words (2) 365–384
Seidl, H., *see* A. Weber (2) 325–349
Seki, H., T. Matsumura, M. Fujii and T. Kasami, On multiple context-free grammars (*Fundamental Study*) (2) 191–229

Elsevier Science Publishers B.V.

Shankar, P. and B.S. Adiga, A graph-based regularity test for deterministic context-free languages (1) 117–125
Štefáneková, I., *see* A. Bebják (2) 297–311
Takanami, I., *see* K. Inoue (2) 287–296
Thomsen, B., *see* K.G. Larsen (1) 15– 32
Vazirani, V.V., *see* S. Khuller (1) 183–189
Weber, A. and H. Seidl, On the degree of ambiguity of finite automata (2) 325–349
Yoo, H. and K. Hashiguchi, Extended automata-like regular expressions of star degree at most (2, 1) (2) 351–363
Zalcstein, Y., *see* M. Garzon (1) 83– 98